## **Cannabis Products Catalog**

Disposables(1ml)

	Disposable				
No.	Name	Picture	Features	Parameters	
1	S01 All Caramic Disposable (NEW++Perfect for Thick Oil) 1.0ml		Main Features:           1.         Anti-clogging dual airflow system;           2.         All ceramic center post, heavy           metal free;         3.           3.         Customizable oil-window shape and size;           leared shape and translucent moutphace;         state shape and translucent moutphace;           leared shape and translucent moutphace;         state shape and translucent moutphace;           leared shape and translucent moutphace;         state shape and translucent moutphace;           leared shape and translucent moutphace;         state shape and translucent moutphace;           corresion port,         Features:           6.         Foot spreade PCIG material pod, corresion port,           7.         Portable min size;           8.         Draw activated, simple to use;           9.         Rechargeable.	Size: 16.20mm*15.3mm*92mm Weight: 20g Capacity: 1.0ml Intake hole: 4*1.8mm Resistance: 1.250hm Bottom charging port: Micro USB(Android)	
2	H03 1.0ML Disposable (NEW**Perfect for Thick Oil) 1.0ml	·* 8-	Main features:         Anti-clogging dual-airway system,           1.         Anti-clogging dual-airway system,           2.         Easiest 1-second-capping system,           3.         Customizable shape & size of oil-window, customizable light window,           vindow, customizable light window,         4. 4.4.5mm innovative ceraric coll (Digger cloud, smoother oil-Rook, resext spitting)           5.         Init 2ml available, optionally heavy metal free;         6. Micro USB recharging bottom; Other features:           7.         Draw-activated;         8. Simple outlook, easy to carry;           9.         PCTG pod metral;           10.         Customizable color, customizable image.	Size: 88mm*19.2mm*10.7mm Weight: 18g Capacity: 1.0ml Intake hole: 41.8mm Resistance: 1.25ohm Bottom charging port: Micro US8(Android)	
3	T01 Mini (Mini isze disposable) 0.8mi/1.0ml	IL Outer	Features: 1. 2. 3. Portable mini size 4. recharging Full invisible tank; PCTG system; 5. pod material; micro USB (Android plug) 6. Customizable oil-window shape perfectly sealed by ea filling through the big simple oil filling & capping, sy pressing on the cap after easy oil filling holes.	Size: 88mm* 18mm* 8.5mm Weight: 16g Capacity: 0.8ml/ 1.0ml Intake hole: 4*1.4mm Resistance: 1.250hm Bottom charging port: Micro USB(Android)	
4	T01 Nano (Super mini size disposable) 0.8mi/1.0ml		Features: 1. 2. 3. Portable mini size 4. recharging Simple puff-bar style shape; system, 5. PCTG pod material; and size; 6. Customizable oil-window shape perfectly sealed by ea filling through the big Simple oil filling & caping, sy pressing on the cap after easy al filling heat.	Site: 75mm* 18mm* 8.5mm Weight: 15g Capacity: 0.8ml/ 1.0ml Intake hole: 4*1.4mm Resistance: 1.250hm Bottom charging port: Micro USB(Android)	
5	H02 (Classic disposable) 1.0ml.	- ÷	Features: 1. 2. 3. Portable mini size 3. Portable mini size 5. PCT6 pod material; 9CT6 pod material;	Size: 103mm* 17mm* 8.5mm Weight: 17g Capacity: 1.0ml Intake hole: 4*1 Anm Resistance: 1.3Sohm Bettom charging port: Micro US8(Android)	
6	H02 Mini (Mini size disposable) 1.0mL		Features: 1. 2. 3. Portable mini size 4. Simplized puft-bar style shape 5. PCTG pod material; and size; Micro USF redraing system; 6. Customizable oil-window shape perfectly sealed by estimation of minima and the statement of the state	Size: 88mm* 17mm* 8.5mm Weight: 16g Capacity: 1.0ml Intake hole: 4*1.4mm Resistance: 1.25ohm Bottom charging port: Micro USB(Android)	
7	H02 Nano (Super mini size disposable) 1.0ml.		Features: 1. 2. Portable mini size 3. Simplized puft-bar style shape 4. PCT6 pod material; 5. Simple of material; and size; 6. Simple oil filling & capping, sy perfectly sealed by ea pressing on the cap after easy the big oil filling holes.	Size: 75mm* 17mm* 8.5mm Weight: 15g Capacity: 1.0ml Intake hole: 4*1.4mm Resistance: 1.250hm Bottom charging port: Micro US8(Android)	

8	H02 Preheat (With Tuch Preheat mode) 1.0mL		Features: 1. Advanced bottom touch preheat 8. variable voltage mode; Simpliced puff-bar style shape, portable minisize; PCIG pod material; 4. Micro USP recharging system; Customizable cil-window shape and size; 6. Easy oil filling & capping. How to use? *Touch USP port 5 times to turn on/off; *Touch USP port 3 times to change voltage 2.09 vred-3.39 bube-3.7V white(color and voltage is customizable)	Size: 102mm* 17mm* 8.5mm, or 88mm* 17mm* 8.5mm Weight: 15g Capacity: 1.0ml Intake hole: 4*1.4mm Resistance: 1.250hm Bottom charging port: Micro US8(Android)	
---	--	--	---	---	--

9	P1 (Disposable) 1.0mL		Feature: 1. Anti-clogging dual airflow system; 2. Fay Capping; 3. Svisal oli window;; 4. Customizable printings; 5. Stainless steel center post, heavy metal free.	Size: 91*23.5*11mm Color: Bick/Customized Capacity of Vapore: 1.0ml Coll Beststance: 1.40hm Intake holes: 2*11.8mm Col: ceramic coll Center post: stainless steel
10	B2 (Disposable) 1.0mL		Feature: 1.puff style: 2.visual oli window(chape is not customizable); 3.Customizable printings	Size: 88°16*7.5mm Color: Bia/Customized Capacity of Vaporizer: 1.0ml Coll Resistance: 1.40hm Inizake holes: 2*1.8mm Coll: ceramic coll Center post: stainless steel
11	B3 (Disposable) 1.0mL	18	Feature: 1.Eay capping; 2.Visual oil window, customizable shape; 3.Customizable printings; 4.Stainless steel center post, heavy metal free	Size: 109.2*18*9mm Color: Black/Customized Capacity of Vaporizer: 1.Onl Coli: Resistance: 1.Aohm Intake holes: 2*1.8mm Coli: ceramic coli Center post: stainless steel
12	B4 (Disposable) 1.0mL		Feature: 1.Eay capping; 2.visual oil window, customizable shape; 3. Sustomizable printings; 4.Stainless steel center post, heavy metal free	Size: 108.5*19*8mm Color: Black/Customized Capacity of Vaporizer: 1.0ml Coll Resistance: 1.4ohm Initake holes: 21.3mm Coll: ceramic coll Center post: stainless steel
	Disposables	(2ml)		
1	H03 2.0mL Disposable (NEW***Perfect for Thick Oil)	TW	Main features: 1. Anti-clogging dual-airway system; 2. Easiest 1-second-capping system; 3. Window, customizable light window 4.6 - Sami microbie light window gene cloud, smoother ol-flows, fewest splitting); 5. Inil 2nd variable, optionally heavy metal free; 6. Micro USB retarging bottom, Other features: 7. Draw-ativated; 8. Simplified outcok, easy to carry; 9. PCTG pod material; 10. Customizable color, customizable image.	Size: 98mm*19.2mm*10.7mm Weight: 18g Capacity: 20ml Intate hole: 411.8mm Resistance: 1.25ohm Bottom charging port: Micro US8(Android)
2	x2 (Disposable) 2.0ml	<ul> <li>⊕</li> <li>⊕</li> </ul>	Main features:         Essiest: 1-second-capping system;           2         Customizable chape & Ause of a symbol           3: 0 4.5mm innovative ceramic coll (bigger cloud, smoother oil-flow, fevest spitting); 4. Optionally heavy metal free;           5:         Type C recharging system; Other features;           6:         Draw-activated;           7.         Simplized outcok, easy to carry;           8.         PCTG pod material;           9.         Customizable color, customizable image.	Intaking oil holes: 2.0mm*4 Charging time: 2h Net weight: 22g Color: Black, white, or customized Window: customized
3	X2 Preheat (Disposable) 2.0mL	G 241	Main features:           1.         Preheat is available;           2.         Essiest 1-second-capping system;           3.         Customizable ishape & size of oilwindow, customizable isplit window;           4.4.5mm innovitive caramic coil;         5.           6.         Type C recharging system;           7.         Simplized outlook, easy to carry;           8.         PCTG pod material;           9.         Customizable color, customizable image.	Lapacity: 2.Jmi Heating wire: J.Aohn ceramic core Oli Instaing Holes: 4*2.0 mm Shell materia: Aluminum alloy Bottom charging time: 2h Charging time: 2h Net weight: 22g Color: Black, white, or customized Window: customized

4	New concept (Disposable) 2.0ml/3.0ml	3mL & 2mL Disposable	<ol> <li>4. 4.5mm innovative ceramic coil (bigger cloud, smoother oil-flows, fewest spitting);</li> <li>2ml 3ml available, optionally heavy metal free;</li> <li>Type C rectarging bottom; Other features:</li> <li>Draw-activated:</li> </ol>	Size: 77mm*25.5mm*11.9mm Weight: 28g Capacity: 2.0ml/ 3.0ml Intake hole: 4*2.0mm Resistance: 1.250hm Centre post: stainless steel Bottom charging port: Type C	
1	X3 (Disposable) 3.0ml		smoother oil-flows, fewest spitting); 4. Optionally heavy metal free; 5. Type C recharging system; Other features: 6. Draw-artivated:	Size: 115°20°10.5 mm (L°W°H) Volume: 3mi Oli hole size: 2.8mm°4 Resistance: 1.40mm, ceramic coil Materia: J.Auminum Filling way. Top filling Color: Black, white or customized	

2	X3 Preheat (Disposable) 3.0ml		olivindow, customizable light window; 4. 4 45mm innovative ceramic coli; 5. Optionally heavy metal free; 6. Type C recharging system; Other features: 7. Simplized outlook, easy to carry; 8. PCT0 pod material; 9. Customizable color, customizable color,	Size: 126*20*10.5 mm (L*W*H) Volume: 2ml Oli hole size: 2.0mm*4 Resistance: 1.40mn, ceramic coll Material: Aluminum Filling way: Top filling Color: Black, while or customized With preheat button Recharge: bottom type-c usb port	
3	New concept (Disposable) 2.0ml/3.0mL	3mL & ZmL Disposable	A. 4 A.5m innovative ceramic coil (bigger cloud, smoother oil-flows, fewest spitting); 5. 2ml 3ml available, optionally heavy metal free; 6. Type C recharging bottom; Other features:	Size: 77mm*25.5mm*11.9mm Weight: 28g Capacity: 20ml 30ml Inizak Hole: 4*2.0mm Resistance: 1.250hm Centre post: stanlines: steel Bottom charging port: Type C	
	Disposabl	es(5ml)			
1	XS preheat (disposable) Sml		<ul> <li>Customizable shapessize of on- window, customizable light window;</li> <li>5. \(\phi 4.5mm\) innovative ceramic coil;</li> <li>6. Optionally heavy metal free;</li> <li>7. Type C recharging system; Other features:</li> </ul>	Sire: 38.5*15.0*83.0mm(L*W*H) Volume: Sml Oli hole size: 4*2.0mm Material: Aluminum Mitterial: Aluminum Mitterial: op filing With button: pre-twatfunction Recharge: Type C	
	Disposables(D	ual -Flavor)			
1	DF2 (disposable) imL+imL	Chernings a	Customizable shape&size of oilwindow, customizable light window;     S. Optionally heavy metal free;     G. Type C recharging system;     Other features:	Size: 25.5*10.15*96mm(L*W*H) Volume: 1mL+1mL Oli hole size: 2*1.8mm Resistance: 1.2ohm, ceramic coll Material: Aluminum Filing way: Top filing Recharge: Type C	
	Reusable Pens(	Pod System)	[		

1	R01 reusable 0.8ml/1.0ml	Southern	Features: 1. Reusable battery with replaceable pod. 2. Finest Visual oli Window. 3. Preheat function is enabled. 4. Adjustable voltage. 5. Silm size. 6. 0.8m1, 1.0ml pods available. 7. Micro US8 (Android plug) charging system. 8. Big cloud ceramic coll. 9. Simple oil filling & capping. 10. Optional heavy metal free. 11. Mobile like Sideways fire button.	Size: 107.2*18.3*8.5mm Weight: 22g Capacity: 0.8ml/1.0ml Intake hole: 4*1.4mm Resistance: 1.250hm Bottom charging port: Micro USB Color: black, white, silver, or custom colors Material of Up: cool grade PC Material of central post: cooper material (Lead-free is optional) Heating Coli: ceramic coil	
	Classical Pens(R	ound stick style)	Γ		
1	G12 ali glass (Disposable) 0.5ml/1.0ml/1.5ml/2.0ml		Feature: 1.Al glass, heavy metal free; 2.Optional cotton free, best tatle; 3.4.Smot miling, no need quick capping; 4.Sotton miling, no need quick capping; 5.Screv on; 6.Pure tamparent outlook; 7.Customizable color, logo; 8.Rechargeable	Capacity: 0.5ml/1.0ml/1.5ml/2.0ml Oli intaking Holes: 2*2mm*2.2mm Diameter: 2.5mm Coli Type: Ceramic Resistance: 1.4ohm	
2	C38 (Disposable) 0.3mi/0.5mi/1.0mi		Feature: 1.Special anstal mouthpiece; 2.Most classical function; 3.4.Smm diameter big ceramic coil, big cloud; 4. Customizable color, printings; 5.Screw on; 6.0.3mi 0.5mi without charging, 1.0ml with recharging bottom	Capacity: 0.3ml/0.5ml/ 1.0ml Size of oil aperture: 4*2.0mm or customized Diameter: 10.5mm; Coll Type: Ceramic Resistance: 1.4ohm	
3	C3 (Disposible) 0.3ml/0.5ml/1.0ml	ada yan yan yan ya	2.Most classical function; 3.4.5mm diameter big ceramic coil, big cloud; 4.Customizable color, printings;	Capacity: 0.3ml/0.5ml/ 1.0ml Size of oil aperture: 4*2.0mm or customized Diameter: 10.5mm; Coll Type: Cera mic Resistance: 1.4ohm	

4	01 (Disposable) 0.3ml/0.5ml/1.0ml	Feature: 1.Rourd metal mouthpiece; 2.Most classical function; 3.4.Smm diameter big ceramic coll, big cloud; 4.Customizable color, printings; 5.Screw on; 6.O.aml 0.Sml without charging, 1.0ml with recharging bottom	Capacity: 0.3-ml, 0.5-ml, 1.0ml oil aperture: 4*2.0mm or customized Diameter: 11.5-mm Weight: 28 gram There is the sement Mouthpiece: found tip Cobr Silver, black, gold, custom color Charging: Micro USB charging port Material: Copper + Glass + Metal	
5	C4 full ceramic (Disposible) 0.5ml/1.0ml	Feature: 1.Fuil ceramic, heavy metal free; 2.Most classical function; 3.4.Smm diameter big ceramic coli, big cloud; 4.Customizable color, printing; 5.Press fock capping 6.0.Sml without charging, 1.0ml with recharging bottom	Capacity: 0.5ml/ 1.0ml Size of oil aperture: 2*2.8mm*1.2mm Diameter: 10.5mm; Coll Type: Ceramic coll Resistance: 1.4ohm	
6	C5 full ceramic-flat tip (Disposable) 1.0ml	Feature: 1. Full caranic, heavy metal free; 2. Most favored taste; 3. Samm diameter big ceramic coll, big cloud; 4. Customizable color, printings; 5. Screw or; 6. Micro USB Recharging bottom	Capacity : 1.0ml Size of oil aperture: 2* 1.0mm* 3.0 mm Diameter: 11.5mm; Coll Type: Ceramic coll Resistance: 1.40hm Charging: Micro USB	
7	CS Disposable Pen-round tip (Flat Tip) 1.0ml	Feature: 1. Ful caranic, heavy metal free; 2. Most favored taste; 3. Smm diameter big ceramic coll, big cloud; 4. Customizable color, printings; 5. Screw or; 6. Micro USB Recharging bottom	Capacity : 1.0ml Size of oil aperture: 2* 1.0mm* 3.0 mm Diameter: 11.5mm; Coll Type: Ceramic coll Resistance: 1.40hm Charging: Micro USB	

Cartridges

1	C4 (Full ceramic structure ) 0.5m/ 1.0ml	E	Feature: 1. Full ceramic, heavy metal free; 2. Most classical function; 3. 4.Smm diameter big ceramic coil, bid cout; 4. Customizable color, printings; 5. Press lock capping.	Capacity: 0.5ml/ 1.0ml Size of oil aperture: 2*2.8mm*1.2mm Diameter: 10.5mm; Coli Type: Ceramic coil Resistance: 1.40m; Thread: 510	
2	C4C (Full ceramic structure ) 0.5ml/ 1.0ml		Feature: 1. Full caramic, heavy metal free; 2. Most classical function; 3. 4.5mm diameter big caramic coll, bid cout; 4. Customizable color, printings; 5. Press lock capping.	Capacity: 0.5ml/1.0ml Size of oil aperture: 2*2.8mm*1.2mm Diameter: 10.5mm; Coli Type: Ceramic coli Resistance: 1.40m; Thread: 510	
3	CS (Full ceramic structure ) 1.0ml		Feature: 1. Full ceramic, heavy metal free; 2. Most classical function; 3. 4.5mm diameter big ceramic coll, big cloud; 4. Customizable color, printings; 5. Screw on.	Capacity: 1.0ml Size of oil aperture: 2*3.0mm*1.0mm Diameter: 115.1mm; Coll Type: Ceramic coll Resistance: 1.40hm; Thread: 510	

4	C5 (Ful ceranic structure ) 1.0ml	E	Feature: 1. Full ceramic, heavy metal free; 2. Most classical function; 3. 4.5mm dlameter big ceramic coll, big cloud; 4. Customizable color, printings; 5. Press to lock capping.	Capacity: 1.0ml Size of oil aperture: 4*2mm*1.7mm Diameter: 11.5mm; Coll Type: Ceramic coll Resistance: 1.40hm; Thread: 510
5	C7 with fat boy glass (Full ceramic structure ) 2mL		Feature: 1. 2. Full ceramic, heavy metal free; 3. Most classical function; big doud; 4.5mm diameter big ceramic coil 4. Customizable color, printings; 5. Press lock capping; 6. 2.0ml.	Capacity: 2.0ml Size of oil sperture: 2*2.8mm*1.2mm Diameter: 14mm; UCoil Type: Ceramic coil Resistance: 1.40m; Thread: 510
6	C8 (Full ceramic structure ) ZmL		Feature: 1. 2. Ful ceramic, heavy metal free; 3. Most classical function; big doud; 4.5mm diameter big seramic coil 4. Customizable color, printing; 5. Press lock capping; 6. 2.0ml.	Capacity: 2.0ml Size of all sperture: 2*2.8mm*1.2mm Diameter: 1.4m; L Coll Type: Ceramic coll Resistance: 1.4ohm; Thread: 510
7	C9 (Full ceramic structure ) 2mL		Feature: 1. Full ceramic, heavy metal free; 3. Most dissistal function; big doud; 4. Smm diameter big ceramic coil 4. Customizable color, printing; 5. Screw on; 6.2.0ml.	
	All Glass	Carts		II
1	G10 (fullglass) 1.0mL		Feature: 1. 2. 3. All glass, heavy metal free; big cloud; 4. Customi <sup>18</sup> Bottom filling; 4.5mm diameter <sup>5. P</sup> big ceramic coll,	Capacity: 1.0ml Size of oil aperture: 4*2.0mm, or customized Diameter: 10 Smm; Coil Type: Ceramic coil Resistance: 1.40hm; Thread: 510
2	G12 press edition (full glass) 1.0mi/1.5mi/2.0mi	P.	Feature: 1.All glass, heavy metal free; 2.Bottom filling; 3.4.Smm diameter big ceramic coll, big cloud; 4.Customizable color, printings; 5.12mm diameter; 6.Press to lock capping.	Capacity: 1.0ml/ 1.5ml/ 2.0ml Size of oil sperture: 4*2.0mn, or customized Diameter: 1.2mm; Coil Type: Caramic coil Resistance: 1.40m; Thread: 510
3	G12 screw edition (full glas) 1.0ml/1.5ml		Feature: 1.All giss, heavy metal free; 2.Bottom filing; 3.4.Smm diameter big ceramic coll, big cloud; 4.Customizable color, printings; 5.12mm diameter; 6.Screw on	Capacity: 1.0ml/ 1.5ml Size of oil aperture: 2*2*2.2mm Diameter: 2.2mn: Coli Type: Ceramic coli Resistance: 1.40m; Thread: 510

) Batteries(Preheat)

## **Batteries**

			·	
2	GS cartridge (Classic) 0.8ml/1.0ml	Feature: 1. Transparent flat mouthpiece; 2. Most classical function; 3. 4.5mm diameter big ceramic coil, big cloud; 4. Customizable corp, printing; 5. Screw on; 6.510 thread; 7. Plastic oil tank.	Capacity: 0.8ml/ 1.0ml Size of oil aperture: 4*2.0mm or customized Diameter: 10.5mm; Coli Type: Ceramic Resistance: 1.40hm Thread: 510	
3	MG cartridge (Classic) 0.8mi/1.0ml	Feature: 1. Transparent flat mouthpiece; 2. Most classical function; 3. 4. Smm diameter big ceramic coll, big cloud; 4. Customizable con, printings; 5. Screw on; 6. S10 thread; 7. Plastic oil tank.	Capacity: 0.8ml/ 1.0ml Size of oil aperture: 4*2.0mm or customized Diameter: 10.5mm; Coli Type: Ceramic Resistance: 1.40hm Thread: 510	
4	R1 cartridge 0.3ml/0.5ml/0.8ml/1.0ml	Feature: 1. Metal mouthpiece; 2. Most classical function; 3.4.5.mn diameter big ceramic coll, big cloud; 4. Customizable color, printings; 5.5.Cerew or; 6.5.10 thread.	Capacity: 0.3ml/ 0.5ml/ 0.8ml/ 1.0ml Size of oil aperture: 4*2.0mm or customized Diameter: 10.5mm; Coli Type: Ceramic Resistance: 1.40hm Thread: 510	
5	R2 cartridge 2ml	Feature: 1.Metal mouthpiece; 2.Mest classical function; 3.4.Smm diameter big ceramic coll, big cloud; 4.Cutomizable color, printings; 5.Screw on; 6.S10 thread; 7.2.OmL	Capacity: 2.0ml Size of oil aperture: 4*2.0mm or customized Diameter: 34mm; Coli Type: Ceramic Resistance: 1.40hm Thread: 510	
6	V16 cartridge 0.8ml/1.0ml	Feature: 1.Metal mouthpiece; 2.Most I dassial function; 3.4.Smn diameter big ceranic coll, big cloud; 4.Customizable color, printings; 5.Sorew on; 6.510 thread; 7.Child resistance additional transparent cover outside; 8.Top airflow.	Capacity: 0.8ml/ 1.0ml Size of oil aperture: 4*2.0mm or customized Diameter: 12.5mm; Coll Type: Ceramic Resistance: 1.40mm Thread: 510	

	Classical	carts			
1	C3 cartridge (Classic) 0.3ml/ 0.5ml/ 0.8ml/ 1.0ml	<b>*</b> * * <b>* * *</b>	mouthpiece; 2. Most classical function; 3.4.5mm diameter big ceramic coil, big cloud; 4. Customizable color, printings;	Capacity: 0.3ml/0.5ml/0.8ml/1.0ml Size of oil aperture: 4*2.0mm or customized Diameter: 10.3mm; Coll Type: Ceramic Resistance: 1.40hm Thread: 510	

1	CBD Preheat Battery	Click 3 times to adjust voltage: 2.6V green-3.3V blue- 4.0V red(customizable); Click 2 times to preheat 15s (1 more click to nterrupt the preheat). Features: J. Preheat is enabled; 2. Variablev(tage; 3. Rechargeable;	Diameter: 11.2mm, head 10.5mm; Thread: 510 Voltage & light color: 2.6V green-3.3V blue-4.0V red (customizable); Prohest: enabled; Housing: metal; Color: black, white, silver, or customized; Components: 1* battery 1* charger 1* blister packaging	
2	CBD-Twist Preheat Battery	he preheat); opinning the bottom ring to adjust voltage by every 0.1v from 2.0-4.0v; features: 1. Preheat is enabled; 2. Variable voltage;	Diameter: 11.2mm, head 10.5mm; Thread: 510 Voltage: 2.0-4.0v; Preheat: enabled; Housing: metal; Color: black, white, silver, or customized; Components: 1* battery 1* charger 1* blater packaging	

3	Max Battery	MARX B D D D	H C C 4. C in 1. 2. 3. 4. 5. 6.
---	-------------	-----------------	---

How to use? Click 5 times button to turn on/off; Click 3 times to adjust voltage: 3.4V red-3.7V green- 4.0V white (cutomizable); Click 2 times to preheat 154 (1 more click to interrugt the preheat). Features: 1. Preheat is enabled; 2. Variable voltage; 3. Micro USB bottom rechargeable; 4.510 thread carts compatible; 5. Customizable color; 6. Customizable color, printing;	Diameter: 11.2mm; Thread: 510 Voltage: 34V red-3.7V green-4.0V white (customizable); Preheat enabled; Housing: metal; Color: Jack, white, silver, or customized; Components: 1 <sup>1</sup> battery 1 <sup>4</sup> Micro USS charging cable 1 <sup>4</sup> packaging
--	---

	CBD Batterie	es(classical)			
1	C3 Battery		How to use? Screw the 510 cart on, then suck on the cart mouthpiece to draw-activate; Features: 1.Draw to activate; 2. Rechargeable; 3.510 thread carts compatible; 4. Customizable color, printing.	Diameter: Li0.5mm; Thread: 510 Housing: metal; Color: Mack, white, silver, or customized; Components: Components: 1* battery (individual paper box for battery, Spcs a pack)	
2	Ego-T 650mah Battery		How to use? Click5 times button to turn on/off; Features: 1.Rechargeable; 2.510 thread carts compatible; 3.Customizable color, printing.	Diameter: 14mm; Thread: 510 Voltage: 3.70 Verbeat: not available; Housing: metal; Gore: black, white, silver, or customized; Components: 1 <sup>1</sup> battery (individual paper box for battery, Spcs a pack)	

3	Ego-C Twist 650mah battery		How to use? Click 5 times button to turn on/off; Spinning the bottom ring to adjust voltage by every 0.1v from 3.0-4.8v; Features: 1. Variable voltage; 2. Sechargeable; 3. S10 thread carts compatible; 4. Customizable color, printing,	Diameter: 14mm; Thread: 510 Voltage: 30.4 &y Prehat: not available; Hosoing:metal; Components: 12 battery (individual paper box for battery, Spcs a pack)	
4	510 Mini Box Battery		Feature: 1.Sim box shaped and portable site; 2.510 thread Compatible; 3.561 touch feeling; 4. Variable voltage 3.0-3.7-4.2v(voltage is customizable); 5. Light color to show remaining power level; 6. Rechargeable; 7. Customizable color, printing.	Size: 63mm*22mm*16mm; Voltage: 3.0-3.7-4.2v or customized; Thread: 510; Capacity: 430mAh; Housing: aluminum alloy; Color: black, white, green, red, etc. Components: 1* battery 1* Charging cable 1* packaging	
	Battery Ch	argers			
1	510 Chargers for CBD Batteries		How to use? 1. Sorew the charger onto the S10 thread of the battery; 2. Put the USB plug onto a Sv output wall charger or compute to charger 3. The charger light is on when it's charging, after fully charged, the light shuts off or change color.	Thread: 510 Output: DC4.2v, 420mA	

## Packaging


Paper Packaging				
1	Custom Paper Packaging	FREE DESIGN SERVICE is available. What kind of packaging I can custom? 1. you can customize any kinds of packaging including but not limited to: (1) thin paper box(with or without auto fold, with or without childproof function); (2) Hard cardbaard box (with or without riborof button, with or without EVA holder, with or without plastic holder, with or without ribon, etc.); (3) Corrugated paper box; (4) outer carton box; (5) Display box.	What kind of surface treatment can I do? Lamination: glossy, matt, soft touch; Foit: gold, silver, rainbow, etc.; Spot UV; Reverse matt UV; Hologram; etc. Send us your box as a sample and we'll make the same for you.	
	Sticke	rs		
1	Custom Stickers	FREE DESIGN SERVICE is available.	What can I customize? 1.Sticker shape and size; 2.Sticker material; 3.Hologram on not; 4.With or without security code; 5.Anti-fake, anti-peel-off, etc.	

Bags(Mylar/ paper)

1.       Bag amper and size; 2.         Bag material(Mylar,         paper, aluminum;         3.       Hologram or not;         4.       With or without bottom;         5.       Child resistant or not;         6.       Lamination: glossy, matt, soft         1       FREE DESIGN SERVICE is available.	
4. With or valkhout bottom; 5. Child resistant or not; 6. Lamination: glossy, matt, soft touch; 7. Spot UV; etc.	
touch; 7. Spot UV; etc.	the UMPAR
1 FREE DESIGN SERVICE is available.	
1 FREE DESIGN SERVICE is available.	Chaminas 9 9 9 9
Garnisaan	
	HUT Quertum
Custom Bags	Quarters
YOB DOM	
Jars(glass/ plastic)	
and Brack Annual	
No.         Jar volume         Picture         Height (mm)         Standard set	
1         3mL/SmL         round         23         35         27         black cap + clear glass	
2 7mL/9mL round 21 45 32 black cap + clear glass	
	Please check price with me with quantity. editions: transparent painted-white glass original- white glass frosted glass
3 3mL/SmL Square 23 35 30 black cap + clear glass	For Full Catalog of Cannabis Glass Packaging, please contact me
4 7mL/9mL Square 24 42 38 black cap + clear glass	
the second se	
Standard is with black cap, white cap MOQ(minimum order quantity)=10k if no stock available, > shape( e.g. emboss, deboss, det.) MOQ=30k with mold fee custom color MOQ=30k, custo 1 ca	
custom color MOQ=30k, custo 1 Ca No. Name Edition Picture Height Width Net Standard set	
custom color MOQ=30k, custo 1, ca No. Name Edition Picture Height Width Net Standard set	Please contact us to let us know what you want and quantity
Custom color MOQ-30k, custo         1 ca           No.         Name         Edition         Picture         Height (mm)         Width (mm)         Net         Standard set	Please contact us to let us know what you want and quantity
custom color MOQ=30k, custo 1 ca           No.         Name         Edition         Picture         Height (mm)         Width (mm)         Net Weight (g)         Standard set           5         45/50mL         flat top cap         38         55         80         black cap + clear glass	Please contact us to let us know what you want and quantity
custom color MOQ-30k, custo 1 ca           No.         Name         Edition         Picture         Height (mm)         Width (mm)         Net Weight (g)         Standard set           5         45/50mL         flat top cap         38         55         80         black cap + clear glass           6         60/70mL         flat top cap         52         55         80         black cap + clear glass           7         70mL         round top         63         53         120         black cap + clear glass	Please contact us to let us know what you want and quantity
No.         Name         Edition         Picture         Meight (mm)         Width (mm)         Net         Standard set           5         45/50mL         flat top cap         38         55         80         black cap + clear glass           6         60/70mL         flat top cap         52         55         80         black cap + clear glass           7         70mL         round top cap         63         53         120         black cap + clear glass           8         90mL         flat top cap         60         55         100         black cap + clear glass           51         62         100         black cap + clear glass         51         62         100	Please contact us to let us know what you want and quantity
No.     Name     Edition     Picture     Height (mm)     Width (mm)     Net       5     45/50mL     flat top cap     38     55     80     black cap + clear glass       6     60/70mL     flat top cap     52     55     80     black cap + clear glass       7     70mL     round top cap     63     53     120     black cap + clear glass       8     90mL     flat top cap     60     55     100     black cap + clear glass	Please contact us to let us know what you want and quantity
No.         Name         Edition         Picture         Height (nm)         Width (nm)         Net weight (g)         Standard set           5         45/50mL         flat top cap         38         55         80         black cap + clear glass           6         60/70mL         flat top cap         52         55         80         black cap + clear glass           7         70mL         round top cap         60         55         100         black cap + clear glass           8         90mL         flat top cap         60         55         100         black cap + clear glass           10         110/120mL         flat top cap         74         55         100         black cap + clear glass           11         120mL         round top cap         60         53         100         black cap + clear glass	Please contact us to let us know what you want and quantity
No.         Name         Edition         Picture         Height (mm)         Width (mm)         Net         Standard set           5         45/50mL         flat top cap         38         55         80         black cap + clear glass           6         60/70mL         flat top cap         52         55         80         black cap + clear glass           7         70mL         round top cap         63         53         120         black cap + clear glass           9         90mL         flat top cap         60         55         100         black cap + clear glass           10         112/120mL         flat top cap         51         62         100         black cap + clear glass           11         120mL         round top cap         69         53         100         black cap + clear glass           12         150mL         flat top cap         59         69         120         black cap + clear glass	Please contact us to let us know what you want and quantity
No.         Name         Edition         Picture         Height (nm)         Width (nm)         Net (s)         Standard set           5         45/50mL         flat top cap         38         55         80         black cap + clear glass           6         60/70mL         flat top cap         52         55         80         black cap + clear glass           7         70mL         round top cap         60         55         100         black cap + clear glass           8         90mL         flat top cap         60         55         100         black cap + clear glass           10         110/120mL         flat top cap         60         55         100         black cap + clear glass           11         120mL         round top cap         74         55         100         black cap + clear glass           12         150mL         flat top cap         69         53         100         black cap + clear glass           13         180mL         flat top cap         69         69         120         black cap + clear glass	Please contact us to let us know what you want and quantity
No.         Name         Edition         Picture         Height (mm)         Width (mm)         Net.         Standard set           5         45/50mL         flat top cap         88         55         80         black cap + clear glass           6         60/70mL         flat top cap         52         55         80         black cap + clear glass           7         70mL         round top cap         60         53         120         black cap + clear glass           8         90mL         flat top cap         60         55         100         black cap + clear glass           10         110/120mL         flat top cap         74         55         100         black cap + clear glass           11         120mL         round top cap         74         55         100         black cap + clear glass           12         150mL         flat top cap         74         55         100         black cap + clear glass           13         120mL         flat top cap         70         69         120         black cap + clear glass           14         230mL         flat top cap         88         69         200         black cap + clear glass	Please contact us to let us know what you want and quantity
No.         Name         Edition         Picture         Height (mm)         Width (mm)         Net (mm)         Standard set           5         45/50mL         flat top cap         38         55         80         black cap + clear glass           6         60/70mL         flat top cap         52         55         80         black cap + clear glass           7         70mL         round top cap         63         53         120         black cap + clear glass           8         90mL         flat top cap         60         55         100         black cap + clear glass           10         110/120mL         flat top cap         60         55         100         black cap + clear glass           11         120mL         round top cap         69         53         100         black cap + clear glass           12         120mL         flat top cap         69         69         120         black cap + clear glass           13         180mL         flat top cap         68         69         200         black cap + clear glass           14         230mL         flat top cap         68         69         200         black cap + clear glass           15         300mL         flat to	Please contact us to let us know what you want and quantity
No.         Name         Edition         Picture         Meight (mm)         Weight (g)         Standard set           5         45/50mL         flat top cap         88         55         80         black cap + clear glass           6         60/70mL         flat top cap         52         55         80         black cap + clear glass           7         70mL         round top cap         60         53         120         black cap + clear glass           8         90mL         flat top cap         60         55         100         black cap + clear glass           10         110/120mL         flat top cap         74         55         100         black cap + clear glass           11         120mL         round top cap         69         53         100         black cap + clear glass           12         150mL         flat top cap         69         69         120         black cap + clear glass           13         180mL         flat top cap         70         69         120         black cap + clear glass           14         230mL         flat top cap         88         69         200         black cap + clear glass	Please contact us to let us know what you want and quantity
No.         Name         Edition         Picture         Height (nm)         Width (mm)         Net         Standard set           5         45/50mL         flat top cap         8         55         80         black cap + clear glass           6         60/70m         flat top cap         52         55         80         black cap + clear glass           7         70mL         round top cap         63         53         120         black cap + clear glass           8         90mL         flat top cap         60         55         100         black cap + clear glass           10         112/120mL         flat top cap         51         62         100         black cap + clear glass           11         120mL         round top cap         59         69         120         black cap + clear glass           12         150mL         flat top cap         59         69         120         black cap + clear glass           13         180mL         flat top cap         70         69         120         black cap + clear glass           14         230mL         flat top cap         88         69         200         black cap + clear glass           15         300mL         flat top cap </td <td>Please contact us to let us know what you want and quantity</td>	Please contact us to let us know what you want and quantity
No.         Name         Edition         Picture         Height (nm)         Width (nm)         Net         Standard set           5         45/50mt         fit top cap         38         55         80         black cap + clear glass           7         70mL         round top          52         55         80         black cap + clear glass           8         90mL         fit top cap         60         55         100         black cap + clear glass           10         110/120mt         fit top cap         60         55         100         black cap + clear glass           11         120mL         round top          59         69         120         black cap + clear glass           12         150mL         fit top cap         59         69         120         black cap + clear glass           13         180mL         fit top cap         70         69         150         black cap + clear glass           14         230mL         fit top cap          88         69         200         black cap + clear glass           14         230mL         fit top cap          88         69         200         black cap + clear glass <td< td=""><td>Please contact us to let us know what you want and quantity</td></td<>	Please contact us to let us know what you want and quantity
No.         Name         Edition         Picture         Height (nm)         Width (nm)         Net         Standard set           5         45/50mt         fit top cap         38         55         80         black cap + clear glass           7         70mL         round top          52         55         80         black cap + clear glass           8         90mL         fit top cap         60         55         100         black cap + clear glass           10         110/120mt         fit top cap         60         55         100         black cap + clear glass           11         120mL         round top          59         69         120         black cap + clear glass           12         150mL         fit top cap         59         69         120         black cap + clear glass           13         180mL         fit top cap         70         69         150         black cap + clear glass           14         230mL         fit top cap          88         69         200         black cap + clear glass           14         230mL         fit top cap          88         69         200         black cap + clear glass <td< td=""><td>Please contact us to let us know what you want and quantity</td></td<>	Please contact us to let us know what you want and quantity
No.         Name         Edition         Picture         Height (nm)         Width (nm)         Net         Standard set           5         45/50mt         fit top cap         38         55         80         black cap + clear glass           7         70mL         round top          52         55         80         black cap + clear glass           8         90mL         fit top cap         60         55         100         black cap + clear glass           10         110/120mt         fit top cap         60         55         100         black cap + clear glass           11         120mL         round top          59         69         120         black cap + clear glass           12         150mL         fit top cap         59         69         120         black cap + clear glass           13         180mL         fit top cap         70         69         150         black cap + clear glass           14         230mL         fit top cap          88         69         200         black cap + clear glass           14         230mL         fit top cap          88         69         200         black cap + clear glass <td< td=""><td>Please contact us to let us know what you want and quantity</td></td<>	Please contact us to let us know what you want and quantity
No.         Name         Edition         Picture         Height (mm)         Width (mm)         Net (mm)         Standard set           5         45/50mL         flat top cap         38         55         80         black cap + clear glass           7         70mL         round top cap         52         55         80         black cap + clear glass           8         90mL         flat top cap         60         55         100         black cap + clear glass           10         110/120mL         flat top cap         60         55         100         black cap + clear glass           11         120mL         round top cap         60         53         100         black cap + clear glass           12         150mL         flat top cap         74         55         100         black cap + clear glass           13         180mL         flat top cap         74         50         100         black cap + clear glass           14         230mL         flat top cap         70         69         120         black cap + clear glass           13         380mL         flat top cap         88         69         200         black cap + clear glass           14         230mL         flat top	Please contact us to let us know what you want and quantity
Guiter MOQ-30k, cutto "1.24           No.         Name         Edition         Ficture         Height (mm)         Width (mm)         Net Weight(g)         Standard set           5         45/50ml         tat top cap         38         55         80         Mack cap + clear glass           7         70ml         fat top cap         52         55         80         Mack cap + clear glass           8         90ml         fat top cap         60         55         100         Mack cap + clear glass           9         90ml         fat top cap         60         55         100         Mack cap + clear glass           10         110/120ml         fat top cap         60         53         100         Mack cap + clear glass           11         120ml         fat top cap         60         53         100         Mack cap + clear glass           12         150ml         fat top cap         74         55         100         Mack cap + clear glass           13         180ml         fat top cap         59         69         120         Mack cap + clear glass           14         230ml         fat top cap         120         Mack cap + clear glass         88         69         200	Please check price with our sales person with edition.
Buttern older MOQ-B0b, castb r_2a           No.         Name         Edition         Picture         Height (mm)         Width (mm)         Net (mm)         Standard set (mm)           6         60/70mL         fist top cap         38         55         80         Mack cap + clear glass           7         70mL         for count top cap         33         33         220         Mack cap + clear glass           9         90mL         fist top cap         60         55         100         Mack cap + clear glass           10         110/120mL         fist top cap         53         60         103         Mack cap + clear glass           11         120mL         fist top cap         53         100         Mack cap + clear glass           13         180mL         fist top cap         53         60         220         Mack cap + clear glass           13         180mL         fist top cap         53         60         130         Mack cap + clear glass           13         180mL         fist top cap         53         60         220         Mack cap + clear glass           13         180mL         fist top cap         53         60         220         Mack cap + clear glass           1	
Built control       Martine       Edition       Picture       Height       Width       Net       Sandard set         5       45/20m.       Battop cap       38       55       80       Black cap + clear glass         6       60/70m.       Battop cap       38       55       80       Black cap + clear glass         7       70m.       round top       38       55       80       Black cap + clear glass         9       90m.t       Battop cap       60       55       100       Black cap + clear glass         10       110/20m.t       Battop cap       51       62       100       Black cap + clear glass         11       120m.t       Tortop cap       51       62       100       Black cap + clear glass         12       130m.t       Battop cap       59       69       120       Black cap + clear glass         13       130m.t       Battop cap       59       69       120       Black cap + clear glass         14       220m.t       Battop cap       70       69       120       Black cap + clear glass         13       130m.t       Battop cap       88       69       200       Black cap + clear glass         14       230m.t<	Plesse check price with our sales person with edition.
Guiter MOQ-30k, cutto "1.24           No.         Name         Edition         Ficture         Height (mm)         Width (mm)         Net Weight(g)         Standard set           5         45/50ml         tat top cap         38         55         80         Mack cap + clear glass           7         70ml         fat top cap         52         55         80         Mack cap + clear glass           8         90ml         fat top cap         60         55         100         Mack cap + clear glass           9         90ml         fat top cap         60         55         100         Mack cap + clear glass           10         110/120ml         fat top cap         60         53         100         Mack cap + clear glass           11         120ml         fat top cap         60         53         100         Mack cap + clear glass           12         150ml         fat top cap         74         55         100         Mack cap + clear glass           13         180ml         fat top cap         59         69         120         Mack cap + clear glass           14         230ml         fat top cap         120         Mack cap + clear glass         88         69         200	Plesse check price with our sales person with edition.







## **Other Accessories**



	Syring	es		
1	Syringe with lure lock		Feature: 1.procies scale; 2.with luer lock; 3.Available choices: with or without measurement lines	Glass Edition Cheap plastic edition is also available.

	Glass ti	ips					
1	Glass Tips for Pre-rolls		What's a glass tip? glass tip is the mouthplece to use at pre-rolled joint	Size: 10*30mm, 12*30mm; Color: transparent, solid white jade color, black, blue green, etc. Edition: flat tip, round tip	Please check price with me with edition		
	Rolling t	rays					
No.	Size	Picture	Specifications		Remarks		
			Size:130*80*10mm(5.12*3.15*0.4'') Specifications:0.23mm, , CMYK printing	1 side print 2 sides print	0.3mm: +10% price 0.35mm: +20% price		
			Size:135*135*15mm(5.32*5.32*0.6'') Specifications:0.23mm, CMYK printing	1 side print 2 sides print	0.3mm: +10% price 0.35mm: +20% price		
			Size:180*125*15mm(7.1*4.93*0.6'') Specifications:0.28mm, CMYK printing		0.3mm: +10% price 0.35mm: +20% price		
			Size:180*140*15mm(7.1*5.6*0.6") Specifications:0.28mm, CMYK printing		0.3mm: +10% price 0.35mm: +20% price		
		Size:205*105*15mm(8.1*4.14*0.6") Specifications:0.28mm, CMYK printing	1 side print: 2 sides print:	0.3mm: +10% price 0.35mm: +20% price			
			Size:250*180*23mm(9.85*7.1*0.91'') Specifications:0.28mm, CMYK printing	1 side print: 2 sides print:	0.3mm: +10% price 0.35mm: +20% price		
1			Size:270*160*23mm(10.63*6.3*0.91'') Specifications:0.28mm, CMYK printing	1 side print: 2 sides print:	0.3mm: +10% price 0.35mm: +20% price		
	Metal trays		Size:275*175*23mm(10.83*6.89*0.91") Specifications:0.28mm, CMYK printing		0.3mm: +10% price 0.35mm: +20% price		
			Size:285*188*23mm(11.23*7.41*0.91'') Specifications:0.28mm, CMYK printing		0.3mm: +10% price 0.35mm: +20% price		
			Size:305*225*25mm(12*8.86*0.99") Specifications:0.28mm, CMYK printing		0.3mm: +10% price 0.35mm: +20% price		
			Size:345*275*25mm(13.6*10.83*0.99'') Specifications:0.28mm, CMYK printing		0.3mm: +10% price 0.35mm: +20% price		
			Size:430*170*20mm(16.93*6.7*0.79'') Specifications:0.28mm, CMYK printing		0.3mm: +10% price 0.35mm: +20% price		
MOQ for c	ustom a tray with a picture=1200pcs						
No.	Size	Picture	Original tray color		Remarks		
			Size:18cm*14cm				
					1.Easy clean with water, no rusting		
2	Melamine trays		Size:27cm*16cm		2. Eco-friendly material, food grade 3. Melamine content 30%		
		PERSONAL PROPERTY AND INCOMENTAL PROPERTY AND INTENTY AND INTENTY AND INTENTY AND INTENTY AND INTENTY	Size:34cm*27.5cm				
MOQ for c	MOQ for custom a tray with a picture+500pcs with mold 1 e						
3	LED glow rolling tray	<b>7</b> 2479 <b>7</b> 2479 <b>7</b> 2479 <b>7</b> 2479 <b>7</b> 2479 <b>7</b> 2479	Instructions: 1. Turn on/off: Long press on the button for 1 second to turn on, long press for 3 seconds to turn off, while powered on the button during the press on the button while button system; Single press on the button during the circulation to switch to single color model, the circulation to change off when it's in single color model. 3. Battery indicator: While powere on, each LEP presents 25% of the power. Light blinks when charging, stops blinking when fully charged.	n g Size: 295*185*35mm			
	Magnifying	LED Jar					

1	Magnifying LED Jar	63MM/2.56thches Joint (Johnes Control Control	LED inside; Small size, easy to <sup>Carry;</sup>	Battery: 250mAh; Unit net weight: 171g; Unit gross weight: 198g; Outer carton box size: 51cm*43cm*43cm, 100pcs.	
---	--------------------	---	--	--	--